
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,55

JAN 1 8 192

...1925...

—PRICE LIST—

of

Collected Native Trees Shrubs and Plants



FOR SALE BY

L. E. WILLIAMS

EXETER, N. H., U. S. A.

I buy and sell Nursery Grown Stock, both fruit and ornamental, and can supply anything you need in this line at reasonable prices.

Member A. A. N.



LOCATION.

Exeter is located 50 miles northeast of Boston on the Boston and Maine railroad in direct communication with Boston and New York.

Our shipping season begins about the middle of April and lasts until June 1st and from September until the middle of November.

TERMS.

Terms net cash unless otherwise arranged.

Parties unknown to me must send cash or good reference.

Boxing and packing at cost.

Not less than 50 and 500, unless otherwise arranged for, will be furnished at 100 and 1000 rates respectively.

I am ready to correct my errors and mistakes, but complaints must be made upon receipt of stock, or they cannot be entertained.

As I have no control over the transportation, planting, and weather I can assume no responsibility after delivering the stock for transportation.

REMARKS.

I furnish trees and shrubs of any size suitable for transplanting, and a large number of shrubs and plants not quoted in this list.

I have an especially fine lot of Viburnums, Cornus, Vacciniums and Ferns.

A certificate of inspection is attached to all shipments and of fumigation when required by law or requested.

BULBS

| Arisaema triphyllum \$1.00 \$5.00 \$35.00 Calla palustris 1.00 5.00 35.00 Calopogon pulchellus 1.00 6.00 Erythronium Americanum 1.00 4.00 35.00 Lilium Canadense, extra large bulbs 2.00 15.00 """ first size 1.00 5.00 40.00 """ second size .75 3.50 30.00 """ flayum 1.50 6.00 50.00 |
|---|
| Calopogon pulchellus |
| Erythronium Americanum 1.00 4.00 35.00 Lilium Canadense, extra large bulbs 2.00 15.00 " "first size 1.00 5.00 40.00 " second size .75 3.50 30.00 |
| Lilium Canadense, extra large bulbs 2.00 15.00 " "first size 1.00 5.00 40.00 " second size .75 3.50 30.00 |
| " first size 1.00 5.00 40.00 " second size75 3.50 30.00 |
| " second size75 3.50 30.00 |
| second size |
| " " " 1 50 6 00 50 00 |
| " flavum 1.50 6.00 50.00 |
| " rubrum 1.50 7.50 60.00 |
| " Philadelphicum, first size 1.00 5.00 40.00 |
| " second size50 3.50 30.00 |
| "Superbum, extra large 2.00 15.00 |
| " medium 1.00 6.00 50.00 |
| " Tigrinum 1.00 6.00 |
| Mertensia Virginica 1.00 5.00 40.00 |
| Nymphaea advena |
| " odorata 1.00 4.00 35.00 |
| Sagittaria Engelmanniana 1.00 5.00 |
| " latifolia 1.00 5.00 |
| Sanguinaria Canadensis 1.00 4.00 35.00 |
| Trillium erectum |
| " grandiflorum 1.00 4.00 30.00 |
| " undulatum 1.00 5.00 40.00 |
| PEDNIC |
| FERNS |
| Adiantum pedatum, large \$1.00 \$5.00 \$35.00 |
| " small |
| Asplenium ebeneum |
| " Filix foemina 1.00 5.00 40.00 |
| Aspidium acrostichoides, large 1.00 5.00 40.00 |
| " small50 3.00 25.00 |
| " cristatum, large 1.00 5.00 40.00 |

| | | 10 | 100 | 1000 |
|---------|-----------------------|-------|--------|---------|
| | m cristatum small | \$.50 | \$3.00 | \$25.00 |
| " | " Clintoniana, large | 1.00 | 5.00 | 40.00 |
| " | " small. | .50 | 3.00 | 25.00 |
| 44 | Marginale, large | 1.00 | 5.00 | 40.00 |
| :′ | " small | . 50 | 3.00 | 25.00 |
| " | Goldieanum | 2.50 | 10.00 | |
| " | Novaboracensis | 1.00 | 5.00 | 40.00 |
| " | spinulosum, large | 1.00 | 5.00 | 40.00 |
| " | " small | .50 | 3.00 | 25.00 |
| " | thelypteris | 1.00 | 5.00 | 40.00 |
| Botrych | nium Virginianum | 1.00 | 5.00 | |
| Campto | osorus rhizophyllus | 1.00 | 5.00 | 40.00 |
| Cystopi | teris bulbifera | 2.00 | 6.00 | 50.00 |
| | nia punctilobula | 1.00 | 5.00 | 40.00 |
| 66 | " small | .50 | 3.00 | 25.00 |
| Onoclea | sensibilis, large | 1.00 | 5.00 | 40.00 |
| " | " small | .50 | 3.00 | 25.00 |
| " | struthiopteris, large | 1.00 | 6.00 | 50.00 |
| " | " small | .50 | 4.00 | 35.00 |
| Osmuno | da cinnamomea, large | 1.00 | 6.00 | 50.00 |
| " | " small | .50 | 4.00 | 35.00 |
| " | Claytonia, large | 1.00 | 6.00 | 50.00 |
| " | small | .50 | 4.00 | 35.00 |
| " | gracilis | 1.00 | 5.00 | 40.00 |
| " | regalis, large | 1.00 | 7.00 | 60.00 |
| " | " small | .50 | 4.00 | 35.00 |
| Polypoo | dium vulgare, large | 1.00 | 5.00 | 40.00 |
| " | " small | .50 | 3.00 | 25.00 |
| Phegon | teris Dryopteris | 1.00 | 5.00 | |
| | a Illvensis | 1.00 | 5.00 | |
| | ardia angustifolia | 1.00 | 6.00 | 40.00 |
| " | Virginica | 1.00 | 6.00 | 40.00 |
| | | 00 | 0.00 | -0.00 |

ORCHIDS

| | 10 | 100 | 1000 |
|---------------------------------|--------|---------|---------|
| Cypripedium acaule, extra large | \$1.50 | \$10.00 | \$75.00 |
| " large | 1.00 | 6.00 | 50.00 |
| " pubescens, per crown | 1.50 | 10.00 | 75.00 |
| " spectabile " " | 1.50 | 10.00 | 75.00 |
| Habenaria Blephariglottis | 1.00 | 6.00 | |
| " ciliaris | 1.00 | 7.50 | |
| " grandiflorum | 1.00 | 7.50 | |
| " lacera | 1.00 | 5.00 | |
| " psycodes | 1.00 | 6.00 | |
| Orchis spectabilis | 1.00 | 5.00 | |
| Peramium pubescens | 1.00 | 5.00 | 40.00 |
| " repens | 1.00 | 5.00 | 40.00 |
| Pogonia ophioglossiodes | 1.00 | 6.00 | |
| Spiranthes latifolia | 1.00 | 5.00 | |
| | | | |

VINES AND GROUND COVERS

| - | 10 | 100 | 1000 |
|--------------------------------|--------|--------|---------|
| Ampelopsis quinquefolia, small | \$0.50 | \$3.00 | \$25.00 |
| " large | 1.00 | 5.00 | 40.00 |
| Apios tuberosa | 1.00 | 5.00 | 40.00 |
| Arctostaphylos Uva-Ursi | 1.00 | 5.00 | 40.00 |
| Celastrus scandens, seedlings | . 50 | 3.00 | 25.00 |
| " 2 ft 4 ft. | 1.00 | 5.00 | 40.00 |
| Chiogenes hispidula | . 50 | 3.00 | 25.00 |
| Clematis Virginica, small | .50 | 3.00 | 25.00 |
| " large | 1.00 | 5.00 | 40.00 |
| Clintonia borealis | 1.00 | 3.00 | 25.00 |
| Coptis trifolia | .50 | 3.00 | 25.00 |

| 3.0 | 7.00 | 1000 |
|------|---|--|
| | | \$25.00 |
| .50 | 3.00 | 25.00 |
| 1.50 | 10.00 | |
| 2.00 | 15.00 | |
| 1.00 | 5.00 | 40.00 |
| .50 | 2.50 | 20.00 |
| .50 | 2.50 | 20.00 |
| 2.00 | 7.50 | |
| .50 | 3.00 | 25.00 |
| .50 | 3.00 | 25.00 |
| .50 | 4.00 | 35.00 |
| .50 | 3.00 | 25.00 |
| .50 | 3.00 | 25.00 |
| . 50 | 3.00 | 25.00 |
| .50 | 3.00 | 25.00 |
| .50 | 3.00 | 25.00 |
| .50 | 3.00 | 25.00 |
| .50 | 3.00 | 25.00 |
| 1.00 | 5.00 | |
| .50 | 4.00 | |
| .50 | 4.00 | |
| 2.00 | 10.00 | 75.00 |
| 1.00 | 5.00 | 40.00 |
| 1.00 | 3.00 | 25.00 |
| . 50 | 3.00 | 25.00 |
| . 50 | 3.00 | 25.00 |
| | 1.50 2.00 1.00 .50 .50 .50 .50 .50 .50 .50 .50 .50 | \$0.50 \$3.00 .50 3.00 1.50 10.00 2.00 15.00 1.00 5.00 .50 2.50 2.50 2.50 2.00 7.50 .50 3.00 |

MISCELLANEOUS PLANTS

| | 10 | 100 | 1000 |
|----------------------------|--------|--------|---------|
| Achillea millefolium | \$0.50 | \$3.00 | \$25.00 |
| Acorus calamus | .50 | 3.00 | 25.00 |
| Actaea alba, per bud | 1.00 | 5.00 | |
| " rubra " " | 1.00 | 5.00 | |
| Anemone Pennsylvanicum | .50 | 4.00 | 30.00 |
| " quinquefolia | .50 | 4.00 | 30.00 |
| " thalictroides | 1.00 | 5.00 | |
| Aquilegia vulgaris | 1.00 | 5.00 | 40.00 |
| Aralia hispida | 1.00 | 5.00 | 35.00 |
| " nudicaulis | .50 | 3.00 | 25.00 |
| " quinquefolia | 1.00 | 6.00 | |
| " racemosa | 2.00 | 15.00 | |
| Asarum Canadensis | 1.00 | 5.00 | |
| Asclepias incarnata | 1.00 | 5.00 | 40.00 |
| " syriaca | .50 | 3.00 | 25.00 |
| Aster ericoides | .50 | 3.00 | 25.00 |
| " linariifolius | .50 | 3.00 | 25.00 |
| " longifolius | .50 | 3.00 | 25.00 |
| " nemoralis | .50 | 3.00 | 25.00 |
| " Nova Angela | 1.00 | 5.00 | 40.00 |
| " Novi Belgii | .75 | 3.00 | 25.00 |
| " puniceus | .75 | 3.00 | 25.00 |
| " umbellatus | .50 | 3.00 | 25.00 |
| " undulatus | .50 | 3.00 | 25.00 |
| Baptisia tinctoria | 1.00 | 5.00 | |
| Caltha palustris | 1.00 | 3.00 | 25.00 |
| Caulophyllum thalictroides | 1.50 | 10.00 | |
| Chelone glabra | 1.00 | 5.00 | 35.00 |
| Cimicifuga racemosa | 1.00 | 5.00 | 35.00 |
| Claytonia Virginica | 1.00 | 4.00 | 35.00 |
| Desmodium Canadensis | 1.50 | 5.00 | 40.00 |
| " rigida | .50 | 3.00 | 25.00 |
| | | | |

| | 10 | 100 | |
|---------------------------|--------|--------|---------|
| Epilobium Angustifolium | \$1.00 | \$4.00 | \$35.00 |
| " lineare | .50 | 3.00 | 25.00 |
| Eriophioum gracile | 1.00 | 3.00 | 25.00 |
| Eupatorium purpureum | 1.00 | 5.00 | 35.00 |
| " perfoliatum | 1.00 | 5.00 | 35.00 |
| Gentiana Andrewsii | 1.00 | 5.00 | 40.00 |
| " linearis | 1.00 | 5.00 | 40.00 |
| Geradia quercifolia | 1.00 | 5.00 | 40.00 |
| Hydrastis Canadensis | 1.00 | 6.00 | 50.00 |
| Inula helenium | 1.00 | 5.00 | 40.00 |
| Iris prismatica | 1.00 | 5 00 | 35.00 |
| " versicolor | 1.00 | 5.00 | 35.00 |
| Lacinaria scariosa | 1.50 | 10.00 | |
| Lathyrus maritimus | 1.00 | 5.00 | 35.00 |
| " palustris | 1.00 | 5.00 | |
| Lespedeza capitata | 1.00 | 5.00 | 35.00 |
| Lychnis Flos cuculi | 1.00 | 5.00 | 35.00 |
| Limmanthemum lacunosum | 2.00 | 10.00 | |
| Linaria Linaria | 1.00 | 5.00 | |
| Linneae borealis | 1.00 | 4.00 | 35.00 |
| Lobelia cardinalis, large | 1.00 | 5.00 | 40.00 |
| " small | .50 | 3.00 | 25.00 |
| " syphilitica | 1.00 | 5.00 | 40.00 |
| Lysimachia quadrifolia | .50 | 3.00 | 25.00 |
| " stricta | .50 | 3.00 | 25.00 |
| Medeola Virginica | 1.00 | 5.00 | 35.00 |
| Mentha piperita | .50 | 3.00 | 25.00 |
| " viridis | .50 | 3.00 | 25.00 |
| Mimulus ringens | 1.00 | 5.00 | |
| Monarda Fistulosa | 1.00 | 5.00 | 45.00 |
| Nepeta cataria | .50 | 5.00 | |
| Nepeta glechoma | .50 | 3.00 | 25.00 |
| | | | |

| | 10 | 100 | 1000 |
|-------------------------------|--------|--------|---------|
| Pedicularis Canadensis | \$1.00 | \$5.00 | \$35.00 |
| Peltandra Virginica | 1.50 | 10.00 | |
| Phytolacca decendra | 1.00 | 5.00 | 35.00 |
| Polygonatum commutatum | 1.00 | 4.00 | 35.00 |
| Pontideria cordata | 1.00 | 5.00 | 40.00 |
| Ranunculus, several varieties | .50 | 3.00 | 25.00 |
| Rudbeckia hirta | .50 | 3.00 | 25.00 |
| Sanguisorba Canadensis | 1.00 | 5.00 | 35.00 |
| Saponaria officinalis | 1.00 | 3.00 | 25.00 |
| Sarracenia purpurea | 1.00 | 4.00 | 35.00 |
| Solidago, several varieties | .50 | 3.00 | 25.00 |
| Tanacetum vulgare | .50 | 3.00 | 25.00 |
| Thalictrum Cornuti | 1.00 | 5.00 | 40.00 |
| Trientalis Americana | .50 | 3.00 | 25.00 |
| Typha angustifolia | 1.00 | 5.00 | |
| " latifolia | 1.00 | 4.00 | 35.00 |
| Unifolium Canadense | .50 | 3.00 | 25.00 |
| Uvularia sessilifolia | .50 | 3.00 | 25.00 |
| Vagnera racemosa | 1.00 | 5.00 | 40.00 |
| Verbena hasatata | 1.00 | 4.00 | |
| Viola blanda | 1.00 | 4.00 | 30.00 |
| " palmata | 1.00 | 4.00 | 30.00 |
| " pedsta | 1.00 | 4.00 | 30.00 |
| " Palustre | 1.00 | 4.00 | 30.00 |
| "Rostrata | 1.00 | 4.00 | 30.00 |

TREES AND SHRUBS.

The smaller sizes quoted are suitable for lining up in the nursery. The larger sizes are selected stock suitable for landscape engineers and permanent planting.

| Acer Pennsylvanicum, 1 ft 2 ft. \$0.50 \$4.00 " 2 ft 4 ft. 1.00 5.00 " rubrum, 1 ft 2 ft. 50 3.00 \$25.00 " 2 ft 3 ft. 75 4.00 35.00 " 3 ft 5 ft. 1.00 7.50 50.00 " saccharum, 1 ft 2 ft. 50 3.00 25.00 " 2 ft 3 ft. 75 5.00 30.00 " 3 ft 4 ft. 1.00 7.50 60.00 " 5 ft 6 ft. 2.00 15.00 100.00 Alnus rugosa, 2 ft 3 ft. 1.00 3.00 25.00 Amelanchier Canadensis, 1 ft 3 ft. 75 4.00 35.00 |
|--|
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| |
| |
| " " 3 ft 5 ft. 1.00 7.50 50.00 " saccharum, 1 ft 2 ft. 50 3.00 25.00 " " 2 ft 3 ft. 75 5.00 30.00 " " 3 ft 4 ft. 1.00 7.50 60.00 " " 5 ft 6 ft. 2.00 15.00 100.00 " spicatum, 3 ft 4 ft. 1.50 10.00 Alnus rugosa, 2 ft 3 ft. 1.00 3.00 25.00 |
| |
| " " 2 ft 3 ft. 50 3.00 25.00 " " 2 ft 3 ft. 75 5.00 30.00 " " 3 ft 4 ft. 1.00 7.50 60.00 " " 5 ft 6 ft. 2.00 15.00 100.00 " spicatum, 3 ft 4 ft. 1.50 10.00 Alnus rugosa, 2 ft 3 ft. 1.00 3.00 25.00 |
| " " 3 ft 4 ft |
| " 5 ft 6 ft. 2.00 15.00 100.00 " spicatum, 3 ft 4 ft. 1.50 10.00 Alnus rugosa, 2 ft 3 ft. 1.00 3.00 25.00 |
| " spicatum, 3 ft. – 4 ft |
| Alnus rugosa, 2 ft. – 3 ft 1.00 3.00 25.00 |
| |
| Amplenchion Canadonsis 1 ft $= 3$ ft $= 75$ $= 4.00$ $= 35.00$ |
| |
| " 3 ft. – 5 ft |
| (clumps) 1.50 10.00 75.00 |
| " Botryapium, 1 ft. – 3 ft 75 4.00 35.00 |
| " 3 ft. – 5 ft |
| (clumps) 1.50 10.00 75.00 |
| Andromeda calyculata (small) 50 3.00 25.00 |
| " (large clumps) 1.00 6.00 50.00 |
| " ligustrina 1.00 5.00 35.00 |
| " Mariana 1.00 6.00 |
| Aronia arbutifolia, 1-2 ft |
| " 2-4 ft 1.00 5.00 40.00 |
| " nigra 1-2 ft |
| " 2-4 ft 1.00 5.00 40.00 |
| Azalea canescens, 1 ft 2 ft 1.50 10.00 75.00 |
| " 2 ft 3 ft. clumps 3.50 25.00 |
| " nudiflora, 6 in. – 18 in 1.00 6.00 50.00 |
| " " 18 in. – 3 ft. clumps 2.50 20.00 |

| | , | | |
|---|------------|--------|---------|
| | 10 | 100 | 1000 |
| Azalea viscosa, 1 ft. – 2 ft | \$1.00 | \$7.50 | |
| " 2 ft 3 ft | 2.00 | 15.00 | |
| " 3 ft. – 4 ft. (clumps) | 5.00 | 50.00 | |
| Betula lenta, 6 in. – 18 in | 50 | 3.00 | \$25.00 |
| " $1\frac{1}{2}$ ft. -3 ft | 75 | 4.00 | 35.00 |
| " 3 ft. – 4 ft | 1.00 | 6.00 | 50.00 |
| " 4 ft 6 ft | 1.25 | 10.00 | 75.00 |
| " lutea, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $1\frac{1}{2}$ ft. -3 ft | 75 | 5.00 | 35.00 |
| " 3 ft. – 4 ft | 1.25 | 10.00 | 75.00 |
| " 4 ft. – 6 ft | 1.50 | 12.00 | 85.00 |
| " nigra, 1 ft. – 3 ft | 1.00 | 6.00 | |
| " papyracea, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $1\frac{1}{2}$ -ft. 3 ft | 75 | 4.00 | 35.00 |
| " 3 ft. – 4 ft | 1.00 | 5.00 | 40.00 |
| " 4 ft 6 ft | 1.25 | 10.00 | 75.00 |
| " populifolia, 1 ft. – 3 ft | 50 | 2.00 | 15.00 |
| " 3 ft. – 4 ft | 7 5 | 3.00 | 25.00 |
| " 4 ft 6 ft | 1.00 | 5.00 | 40.00 |
| Berberis vulgaris, 1 ft. – 3 ft | 75 | 5.00 | 40.00 |
| " 3 ft. – 5 ft. clumps | 2.00 | 15.00 | 100.00 |
| Benzoin Benzoin, $1\frac{1}{2}$ ft. -3 ft | 75 | 5.00 | |
| " 2 ft 4 ft., clumps | 2.00 | 15.00 | |
| Castanea dentata, 6 in. – 18 in | 50 | 4.00 | |
| " 1 ft. – 3 ft | 1.00 | 6.00 | |
| Carpinus Americana, 6 in. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft. – 4 ft | 75 | 5.00 | 40.00 |
| Ceanothus Americanus (clumps) | 2.00 | 10.00 | 75.00 |
| Cephalanthus occidentalis, 6 in. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft 4 ft | 75 | 5.00 | 40.00 |
| Cercis Canadensis, 1 ft. – 3 ft | 1.00 | 4.00 | 35.00 |
| Clethra alnifolia, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $1\frac{1}{2}$ ft. -3 ft. clumps | 1.00 | 6.00 | 50.00 |

| | 7.0 | 7.00 | 7000 |
|-----------------------------------|-------------|----------------|----------------|
| Comptonia asplenifolia, (small) | \$0.50 | 100 | 1000 |
| Comptonia asplenifolia (large) | φυ.50 75 | \$3.00 4.00 | \$25.00 |
| Cornus alternifolia, 1 ft. – 3 ft | 50 | 4.00 | 50.00 |
| " 3 ft 5 ft. clumps | 1.50 | 10.00 | |
| " circinata, 1 ft. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft. – 3 ft | 1.00 | 4.00 | |
| " " 3 ft. – 4 ft | 1.00 1.25 | 6.00 | 30.00 50.00 |
| " Florida, 1 ft. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft 3 ft | 1.00 | 5.00 | 40.00 |
| " " 3 ft 4 ft | 1.25 | 10.00 | 75.00 |
| " paniculata, 1 ft. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft 3 ft | 1.00 | 5.00 | 40.00 |
| " 3 ft 4 ft | 1.25 | 7.50 | 50.00 |
| " sericea, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " " 1½ ft. – 3 ft | 75 | 3.50 | 30.00 |
| " " 3 ft. – 4 ft | 1.00 | 5.00 | 40.00 |
| " stolonifera, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " 18 in. – 3 ft | 1.00 | 5.00 | 35.00 |
| " " 3 ft 4 ft | 1.25 | 7.50 | 50.00 |
| Corylus Americana, 1 ft. – 3 ft | 50 | 3.00 | 25.00 |
| " 3 ft 4 ft | 1.00 | 5.00 | 40.00 |
| " rostrata, 1 ft. – 3 ft | .50 | 3.00 | 25.00 |
| " 3 ft. – 4 ft | 1.00 | 5.00 | 40.00 |
| Crategus coccinea, 1 ft. – 3 ft | 1.00 | 6.00 | 10.00 |
| " 3 ft 5 ft | 2.00 | 10.00 | |
| Diervilla trifida | 50 | 3.00 | 25.00 |
| " " clumps | 1.00 | 5.00 | 35.00 |
| Dirca, palustris, 1 ft. – 2 ft | 1.00 | 7.50 | 30.00 |
| " 2 ft 3 ft., heavy | 1.50 | 12.50 | |
| " 3 ft 5 ft. " | 3.00 | 25.00 | |
| Fagus Americana, 6 in. – 18 in | 50 | 4.00 | 30.00 |
| " " 18 in. – 3 ft | 75 | 6.00 | 22.03 |
| " 3 ft 4 ft | 1.50 | 10.00 | |
| 0 200 2 200 111111111 | _,,,, | | |

| Fagus Americana 4 ft. -6 ft. stocky \$2.00\$\$15.0 Fraxinus Americana, 6 in. -2 ft. 50 3.0 """ 2 ft. -3 ft. 1.00 5.0 """ 3 ft. -4 ft. 1.25 7.5 """ nigra, 1 ft. -3 ft. 1.00 5.0 """ 3 ft. -4 ft. 1.25 10.0 Gaylussacia resinosa 50 3.0 Hammamelis, 1 ft. -3 ft. 50 4.0 """ 3 ft. -5 ft. 2.00 15.0 """ 3 ft. -4 ft. 2.00 15.0 """ 4 ft. -6 ft. 2.50 20.0 Ilex glabra, 6 in. -12 in. 1.00 6.0 """ 1 ft. -2 ft. clumps with ball. 6.00 50.0 """ opaca, 6 in. -12 in. 1.00 7.0 """ 1 ft. -2 ft. clumps with ball. 6.00 50.0 """ opaca, 6 in. -12 in. 1.00 7.0 """ 3 ft. -5 ft., clumps. 1.00 8.0 """ 3 ft. -5 ft., clumps. 1.00 8.0 """ 3 ft. -5 ft., clumps. 2.00 15.0 Ilicioides mucronata 1 ft. -3 ft. 1.00 4.0 """ 3 ft. -5 ft., clumps. | 0 \$2 5.00 |
|--|-------------------|
| """ 2 ft. -3 ft. 1.00 5.0 """ 3 ft. -4 ft. 1.25 7.5 """ 3 ft. -3 ft. 1.00 5.0 """ 3 ft. -4 ft. 1.25 10.0 Gaylussacia resinosa. 50 3.0 Hammamelis, 1 ft. -3 ft. 50 4.0 """ 3 ft. -5 ft. 2.00 15.0 """" 3 ft. -4 ft. 2.00 15.0 """" 4 ft. -6 ft. 2.50 20.0 Ilex glabra, 6 in. -12 in. 1.00 6.0 """" 1 ft. -2 ft. clumps with ball. 6.00 50.0 """" 1 ft. -2 ft. clumps with ball. 6.00 50.0 """" 1 ft. -2 ft. 3.00 25.0 """" 3 ft. -5 ft., clumps. 1.00 8.0 """" 3 ft. -5 ft., clumps. 1.00 4.0 """" 3 ft. -5 ft., clumps. 2.00 15.0 Ilicioides mucronata 1 ft. -3 ft. 1.00 4.0 """" 3 ft. -5 ft., clumps. 2.00 15.0 Juglans cinerea, 2 ft. | 0 |
| "" 3 ft 4 ft. 1.25 7.5 "" nigra, 1 ft 3 ft. 1.00 5.0 "" 3 ft 4 ft. 1.25 10.0 Gaylussacia resinosa. 50 3.0 Hammamelis, 1 ft 3 ft. 50 4.0 "" 3 ft 5 ft. 2.00 15.0 Hicoria ovata, 1 ft 3 ft. 1.50 10.0 "" 3 ft 4 ft. 2.00 15.0 """ 4 ft 6 ft. 2.50 20.0 Ilex glabra, 6 in 12 in. 1.00 6.0 """ 1 ft 2 ft. clumps with ball 6.00 50.0 """ 1 ft 2 ft. 3.00 25.0 """ 1 ft 2 ft. 3.00 25.0 """ 3 ft 5 ft., clumps 1.00 8.0 """ 3 ft 5 ft., clumps 1.00 4.0 """ 3 ft 5 ft., clumps 2.00 15.0 Ilicioides mucronata 1 ft 3 ft. 1.00 4.0 """ 3 ft 5 ft., clumps 2.00 15.0 Kalmia angustifolia. 50 3.0 | |
| " nigra, 1 ft 3 ft. 1.00 5.0 " " 3 ft 4 ft. 1.25 10.0 Gaylussacia resinosa. 50 3.0 Hammamelis, 1 ft 3 ft. 50 4.0 " 3 ft 5 ft. 2.00 15.0 " 3 ft 4 ft. 2.00 15.0 " " 4 ft 6 ft. 2.50 20.0 Ilex glabra, 6 in 12 in. 1.00 6.0 " opaca, 6 in 12 in. 1.00 7.0 " opaca, 6 in 12 in. 1.00 8.0 " | 0 |
| migra, 1 it. -3 it. 1.00 3.0 "" 3 ft. -4 ft. 1.25 10.0 Gaylussacia resinosa. 50 3.0 Hammamelis, 1 ft. -3 ft. 50 4.0 "" 3 ft. -5 ft. 2.00 15.0 "" 3 ft. -4 ft. 2.00 15.0 "" 4 ft. -6 ft. 2.50 20.0 Ilex glabra, 6 in. -12 in. 1.00 6.0 "" 1 ft. -2 ft. clumps with ball. 6.00 50.0 "" opaca, 6 in. -12 in. 1.00 7.0 "" verticillata, $1\frac{1}{2}$ ft. -3 ft. 50 3.0 "" verticillata, $1\frac{1}{2}$ ft. -3 ft. 50 3.0 "" 3 ft. -5 ft., clumps. 1.00 8.0 "" 3 ft. -5 ft., clumps. 2.00 15.0 Ilicioides mucronata 1 ft. -3 ft. 1.00 4.0 "" 3 ft. -5 ft., clumps. 2.00 15.0 Juglans cinerea, 2 ft. -4 ft. 1.00 7.5 Kalmia angustifolia. 50 3.0 "" glauca 1.00 4.0 "" 1 ft. -2 ft. 3.00 25.0 | _ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 |
| " 3 ft 5 ft. 2.00 15.0 Hicoria ovata, 1 ft 3 ft. 1.50 10.0 " 3 ft 4 ft. 2.00 15.0 " 4 ft 6 ft. 2.50 20.0 Ilex glabra, 6 in 12 in. 1.00 6.0 " 1 ft 2 ft. clumps with ball. 6.00 50.0 " opaca, 6 in 12 in. 1.00 7.0 " " 1 ft 2 ft. 3.00 25.0 " verticillata, $1\frac{1}{2}$ ft 3 ft. 50 3.0 " 3 ft 5 ft., clumps. 1.00 8.0 " 3 ft 5 ft. (with berries) 2.00 15.0 Ilicioides mucronata 1 ft 3 ft. 1.00 4.0 " 3 ft 5 ft., clumps. 2.00 15.0 Juglans cinerea, 2 ft 4 ft. 1.00 7.5 Kalmia angustifolia. 50 3.0 " glauca. 1.00 4.0 " latifolia, 6 in 12 in. 1.00 6.0 " 1 ft 2 ft. 3.00 25.0 | 0 25.00 |
| Hicoria ovata, 1 ft. -3 ft. 1.50 10.0 " " 3 ft. -4 ft. 2.00 15.0 " " 4 ft. -6 ft. 2.50 20.0 Ilex glabra, 6 in. -12 in. 1.00 6.0 " " 1 ft. -2 ft. clumps with ball 6.00 50.0 " opaca, 6 in. -12 in. 1.00 7.0 " opaca, 6 in. -12 in. 50 3.00 25.0 " verticillata, $1\frac{1}{2}$ ft. -3 ft. 50 3.00 " " 3 ft. -5 ft., clumps 1.00 8.0 " " 3 ft. -5 ft. (with berries) 2.00 15.0 Ilicioides mucronata 1 ft. -3 ft. 1.00 4.0 " 3 ft. -5 ft., clumps 2.00 15.0 Juglans cinerea, 2 ft. -4 ft. 1.00 7.5 Kalmia angustifolia 50 3.0 " glauca 1.00 4.0 " latifolia, 6 in. -12 in. 1.00 6.0 " " 1 ft. -2 ft. 3.00 25.0 | 0 35.00 |
| """ 3 ft. -4 ft. 2.00 15.0 """ 4 ft. -6 ft. 2.50 20.0 Ilex glabra, 6 in. -12 in. 1.00 6.0 """ 1 ft. -2 ft. clumps with ball. 6.00 50.0 """ 1 ft. -2 ft. 1.00 7.0 """ 1 ft. -2 ft. 3.00 25.0 """ 3 ft. -5 ft., clumps. 1.00 8.0 """ 3 ft. -5 ft., clumps. 1.00 8.0 """ 3 ft. -5 ft. (with berries) 2.00 15.0 Ilicioides mucronata 1 ft. -3 ft. 1.00 4.0 """ 3 ft. -5 ft., clumps. 2.00 15.0 Juglans cinerea, 2 ft. -4 ft. 1.00 7.5 Kalmia angustifolia. 50 3.0 """ 1 stifolia, 6 in. -12 in. 1.00 6.0 """ 1 ft. -2 ft. 3.00 25.0 | 0 100.00 |
| | 0 |
| Ilex glabra, 6 in. -12 in |) |
| | 0 |
| " opaca, 6 in 12 in. 1.00 7.0 " 1 ft 2 ft. 3.00 25.0 " verticillata, $1\frac{1}{2}$ ft 3 ft. 50 3.0 " " 3 ft 5 ft., clumps. 1.00 8.0 " " 3 ft 5 ft. (with berries) 2.00 15.0 Ilicioides mucronata 1 ft 3 ft. 1.00 4.0 " 3 ft 5 ft., clumps. 2.00 15.0 Juglans cinerea, 2 ft 4 ft. 1.00 7.5 Kalmia angustifolia. 50 3.0 " glauca 1.00 4.0 " latifolia, 6 in 12 in. 1.00 6.0 " 1 ft 2 ft. 3.00 25.0 | 0 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |) |
| " verticillata, $1\frac{1}{2}$ ft. -3 ft. 50 3.00 " verticillata, $1\frac{1}{2}$ ft. -3 ft. 50 3.00 " " 3 ft. -5 ft., clumps. 1.00 8.0 " " 3 ft. -5 ft. (with berries) 2.00 15.0 Ilicioides mucronata 1 ft. -3 ft. 1.00 4.0 " 3 ft. -5 ft., clumps 2.00 15.0 Juglans cinerea, 2 ft. -4 ft. 1.00 7.5 Kalmia angustifolia. 50 3.0 " glauca 1.00 4.0 " latifolia, 6 in. -12 in. 1.00 6.0 " 1 ft. -2 ft. 3.00 25.0 |) |
| | 0 |
| " " 3 ft 5 ft. (with berries) 2.00 15.0 Ilicioides mucronata 1 ft 3 ft 1.00 4.0 " 3 ft 5 ft., clumps . 2.00 15.0 Juglans cinerea, 2 ft 4 ft 1.00 7.5 Kalmia angustifolia . 50 3.0 " glauca . 1.00 4.0 " latifolia, 6 in 12 in . 1.00 6.0 " 1 ft 2 ft . 3.00 25.0 | 25.00 |
| Sit Sit. (with berries) 2.00 13.0 | 75.00 |
| " 3 ft 5 ft., clumps 2.00 15.0 Juglans cinerea, 2 ft 4 ft. 1.00 7.5 Kalmia angustifolia. 50 3.0 " glauca 1.00 4.0 " latifolia, 6 in 12 in 1.00 6.0 " 1 ft 2 ft 3.00 25.0 | 125.00 |
| Juglans cinerea, 2 ft 4 ft. 1.00 7.5 Kalmia angustifolia. 50 3.0 "glauca 1.00 4.0 "latifolia, 6 in 12 in. 1.00 6.0 "1 ft 2 ft. 3.00 25.0 | 30.00 |
| Kalmia angustifolia. 50 3.0 "glauca 1.00 4.0 "latifolia, 6 in. – 12 in 1.00 6.0 "1 ft. – 2 ft 3.00 25.0 | 0 100.00 |
| "glauca 1.00 4.0 "latifolia, 6 in 12 in 1.00 6.0 "1 ft 2 ft 3.00 25.0 |) |
| " latifolia, 6 in. – 12 in 1.00 6.0 " " 1 ft. – 2 ft 3.00 25.0 | 0 25.00 |
| " $1 \text{ ft.} - 2 \text{ ft.} \dots 1.00 = 0.0$ | 30.00 |
| 1 10. – 2 10 5.00 25.0 | 0 50.00 |
| | 0 |
| " 2 ft 3 ft. with ball 15.00 100.0 |) |
| Myrica Carolinensis 6 – 12 in clumps 1.50 10.0 | 75.00 |
| Myrica gale 50 3.0 | 25.00 |
| " 2 ft. – 3 ft., clumps 1.00 7.5 | 50.00 |
| Nyssa sylvatica, 1 ft. – 2 ft 1.00 6.0 |) |
| " 2 ft 4 ft 2.00 10.0 |) |
| Ostyra Virginica, 6 in. – 18 in 50 3.00 | |

| , | | | |
|---|--------|--------|---------|
| | 10 | 100 | 1000 |
| Ostyra Virginica, 18 in. – 3 ft | \$0.75 | \$4.00 | \$35.00 |
| " 3 ft. – 5 ft | 1.00 | 7.00 | 50.00 |
| Populus alba, 6 in. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft. – 4 ft | 75 | 4.00 | 35.00 |
| " grandidentata, 1 ft. – 3 ft | 50 | 3.00 | 25.00 |
| " 3 ft. – 5 ft | 1.00 | 5.00 | 40.00 |
| " tremuloides, 1 ft. – 3 ft | 50 | 3.00 | 25.00 |
| " 3 ft. – 5 ft | 1.00 | 5.00 | 40.00 |
| Potentilla Fruticosa, 1 ft. – 2 ft | 1.00 | 5.00 | 40.00 |
| Prunus Maritima, 1 ft. – 3 ft | 1.00 | 5.00 | |
| " Pennsylvanicum, 1 ft. – $2\frac{1}{2}$ ft | 50 | 3.00 | 25.00 |
| " $2\frac{1}{2}$ ft. -4 ft | 1.00 | 5.00 | 40.00 |
| " serotina, 1 ft. – 3 ft | 50 | 3.00 | 25.00 |
| " 3 ft. – 5 ft | 75 | 4.00 | 35.00 |
| " Virginiana, 1 ft. – 3 ft | 50 | 3.00 | 25.00 |
| " 3 ft 5 ft | 75 | 4.00 | 35.00 |
| Quercus alba, 6 in. – 18 in | 75 | 6.00 | |
| " 18 in. – 3 ft | 1.00 | 8.00 | |
| " platanoides, 1 ft. – 3 ft | 1.00 | 8.00 | |
| " prinus, 1 ft. – 3 ft | 1.00 | 6.00 | |
| " " 3 ft 4 ft | 1.25 | 10.00 | |
| " rubra, 6 in. – 18 in | 1.00 | 5.00 | |
| " 18 in. – 3 ft | 1.50 | 8.00 | |
| Rhododendron Catawbiense, 3in 6 in. | 1.50 | 10.00 | 90.00 |
| " 6 in. – 12 in. | 2.50 | 20.00 | 175.00 |
| " 1 ft2 ft. clumps | 35.00 | 250.00 | |
| " 2 ft3ft. clumps | 45.00 | 400.00 | |
| " maximum, 6 in. – 12 in | 1.00 | 7.00 | |
| " 1 ft. – 2 ft | | 25.00 | |
| " 2 ft 3ft.clump | 25.00 | | |
| Rhodora Canadensis | 1.00 | 5.00 | |
| " clumps | 1.50 | 10.00 | |


| | 10 | 100 | 1000 |
|-----------------------------------|--------|--------|---------|
| Rhus aromatica | \$1.00 | \$5.00 | \$40.00 |
| " copolina, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " 18 in. – 3 ft | 75 | 4.00 | 35.00 |
| " glabra, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " 18 in. – 3 ft | 75 | 4.00 | 35.00 |
| " typhina, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " 18 in. – 3 ft | 75 | 4.00 | 35.00 |
| Robinia pseudacacia, 1 ft. – 2 ft | 1.00 | 5.00 | 30.00 |
| " 2 ft. – 4 ft | 1.50 | 10.00 | |
| Rosa Carolina | 50 | 3.00 | 25.00 |
| " lucida | 50 | 3.00 | 25.00 |
| " nitida | 75 | 3.00 | 25.00 |
| " rubignosa | 1.00 | | |
| Rubus odoratus (large) | 75 | 4.00 | 30.00 |
| " villosus, 1 ft. – 3 ft | 50 | 3.00 | 25.00 |
| Salix alba, 6 in. – 18 in | 50 | 3.00 | |
| " " 18 in. – 4 ft | 75 | 5.00 | |
| " humilis | 50 | 3.00 | |
| " lucida, 1 ft. – 3 ft | 50 | 4.00 | |
| Sambucus Americana, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " 18 in. – 3 ft | 75 | 4.00 | 35.00 |
| " racemosa, 2 ft4 ft | 1.00 | | |
| Sorbus Americana, 3 ft. – 5 ft | 2.00 | 15.00 | |
| Spirea salicifolia, (small) | 50 | 3.00 | 25.00 |
| " (large) clumps | 1.00 | 5.00 | 40.00 |
| " tomentosa, (small) | 50 | 3.00 | 25.00 |
| " (large) clumps | 1.00 | 5.00 | 40.00 |
| Symphoricarpus racemosa | 50 | 4.00 | |
| Syringa vulgaris, 2-4 ft | 1.00 | 5.00 | 40.00 |
| Tilia Americana, 1 ft3 ft | 50 | 4.00 | 30.00 |
| " 3 ft 4 ft | 1.00 | 7.50 | |
| Ulmus Americana, 6 in. – 18 in | 0.50 | 3.00 | 25.00 |
| " 18 in. – 3 ft | 75 | 4.00 | 35.00 |
| | | | |

| | | 10 | 100 | 1000 |
|----------|----------------------------|--------|--------|----------------|
| | • | \$1.00 | \$6.00 | |
| | corymbosum, 1 ft. – 2 ft | 1.00 | 6.00 | 50.00 |
| " | " 2 ft. – 3 ft., clumps | 3.50 | 25.00 | |
| " | " 3 ft. – 4 ft., clumps | 4.00 | 35.00 | |
| " | Pennsylvanicum, (large) | 50 | 3.00 | 25.00 |
| " | Vacillans | 50 | 3.00 | 25.00 |
| Viburnum | acerfolium, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " | " 18 in3 ft., clumps | 1.00 | 6.00 | 50.00 |
| " | cassinoides, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " | " 18 in 3 ft., clumps | 1.00 | 6.00 | 50.00 |
| " | " 3 ft 4 ft., clumps | 1.50 | 10.00 | 75.00 |
| " | " 4 ft 5 ft., " | 2.00 | 15.00 | 100.00 |
| " | dentatum, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " | " 18 in 3 ft., clumps | 1.00 | 6.00 | 50.00 |
| " | " 3 ft4 ft., " | 1.50 | 10.00 | 75.00 |
| " | " 4 ft 5 ft., " | 2.00 | 15.00 | 100.00 |
| " | lantanoides, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " | " 18 in. – 3 ft | 1.00 | 5.00 | 40.00 |
| " | Lentago, 1 ft. – 3 ft | 75 | 4.00 | 25.00 |
| " | " 3 ft. – 4 ft., clumps | 1.50 | 10.00 | 75.00 |
| " | " 4 ft 5 ft " " | 2.50 | 15.00 | 125.00 |
| 61 | " 5 ft 8 ft " | 3.00 | 25.00 | 200.00 |
| " | opulus, 2 ft. – 4 ft | 1.00 | 7.50 | |
| u | prunifolium, 1 ft. – 3 ft | 1.00 | 4.00 | 3 5 .00 |
| u | " 3 ft. – 4 ft | | 10.00 | 85.00 |
| " | pubescens, 1 ft. – 3 ft | 1.00 | 5.00 | 35.00 |
| " | " 3 ft. – 5 ft | 1.50 | 10.00 | 75.00 |
| | | | | |

EVERGREENS.

Prices on evergreens include ball and burlap where over one foot.

| | | | 10 | 100 | 1000 |
|-----------|------------|-----------------|-------|--------|---------|
| Cupressu | ıs thyodi | es, 6 - 12 in | | \$3.00 | \$25.00 |
| • " | " | 1 - 2 ft | | 15.00 | 140.00 |
| " | " | 2 - 3 ft | 3.00 | 25.00 | |
| Juniperu | ıs commı | inis, 6 - 12 in | 1.00 | 4.00 | 25.00 |
| u | " | 12 - 18 in | 2.50 | 20.00 | 150.00 |
| " | " | 18 - 24 in | 4.00 | 35.00 | 300.00 |
| 44 | prostrat | a 6 - 12 in | 1.00 | 4.00 | 25.00 |
| 46 | " | 12 - 18 in | 2.50 | 20.00 | 150.00 |
| " | " | 18 - 24 in | 4.00 | 35.00 | 300.00 |
| " | " | 24 - 30 in | 5.00 | 40.00 | 350.00 |
| " | " | 30 - 40 in | 15.00 | 100.00 | |
| " | Virginia | na, 4 - 8 in | 1.00 | 3.00 | 25.00 |
| " | " | 8 - 12 in | 1.50 | 5.00 | 40.00 |
| " | " | 1 - 2 ft | 2.50 | 20.00 | |
| " | " | 2 - 3 ft | 5.00 | 40.00 | |
| Picea all | oa, 6 - 12 | 2 in | 1.00 | 4.00 | 35.00 |
| Pinus re | sinosa, 6 | - 12 in | 1.00 | 4.00 | |
| 66 | " 1 | - 2 ft | 2.50 | 20.00 | |
| " | " 2 | - 3 ft | 5.00 | 35.00 | |
| " ri | gida, 1 - | 2 ft | 2.50 | 20.00 | |
| " | " 2 - | 3 ft | 5.00 | 35.00 | |
| Taxus C | anadensi | s, 6 - 12 in | 1.00 | 4.00 | 30.00 |
| Thuja O | ccidenta | lis 6 – 12 in | 50 | 3.00 | 25.00 |
| " | " | 1 - 2 ft | 2.00 | 18.00 | 150.00 |
| Tsuga C | anadensi | s, 2 - 6 in | 50 | 2.00 | 15.00 |
| " | " | 6 - 12 in | 1.00 | 3.00 | 25.00 |
| " | 66 | 1 - 2 ft | 2.50 | 20.00 | 150.00 |



I make a specialty of collecting Native Tree and Plant Seeds, and have collectors in different parts of the U. S. A. and can furnish almost any Native Tree or Plant Seed needed.